



UNITED STATES MARINE CORPS
MARINE CORPS BASE
QUANTICO, VIRGINIA 22134-5001

IN REPLY REFER TO:

11345
B 046
APR 25 2011

Ms. Alison Thompson
Department of Environmental Quality
13901 Crown Ct.
Woodbridge, VA 22193

Dear Ms. Thompson:

SUBJECT: INDUSTRIAL STORWATER PERMIT, NO. VA0002151

This letter is to inform you that the industrial activity has changed at one of the currently permitted stormwater outfalls on Marine Corps Base, Quantico. The site known as the Aero Club is no longer being used as a storage site for fuels and oils which required permitting and monitoring of Outfall 019. The site currently houses several structures used as administration buildings. There is approved construction for a double bay maintenance building with an oil/water separator. Since it will be connected to the sanitary sewer, there is no potential for stormwater pollution. Please update your records to reflect this data and remove Outfall 019 from the permit outfall listing.

If you have any questions please contact Mr. Steve Clark at (703) 432-0528.

Sincerely,

J. D. PROVENZANO III
Deputy, Installation and
Environment Division
By direction of the Commander

Thompson, Alison (DEQ)

From: Clark CIV Steve L [steve.l.clark@usmc.mil]
Sent: Tuesday, April 26, 2011 10:51 AM
To: Thompson, Alison (DEQ)
Subject: RE: Permit Reapplication Process

Oh sorry for the delay there as well. I thought I sent you something but I will get it for you. We monitor at the various CERCLA sites. Matter of fact, the ebayment capping committee is staffed by a guy in your office. I'll get all the info on this. They do 5yr reviews where the GW monitoring results are reviewed and evaluated. So far no issues. The capping project is to address the DDT detection limits.

Thanks,

Steve Clark, MPA(EM&P)
Combined Administrator #932
Waterworks Operator, #1967
Water Programs Manager
Quantico MCB- NREA
703-432-0528 (office)
540-273-8574 (cell)

"Have you had a positive influence on someone else's life today?"

-----Original Message-----

From: Thompson, Alison (DEQ) [<mailto:Alison.Thompson@deq.virginia.gov>]
Sent: Tuesday, April 26, 2011 9:22
To: Clark CIV Steve L
Subject: RE: Permit Reapplication Process

Do you also have the PCB information?

thx

Alison Thompson
Water Permits Technical Reviewer
Virginia Dept of Environmental Quality
Northern Regional Office
13901 Crown Ct
Woodbridge, VA 22193
(703) 583-3834
alison.thompson@deq.virginia.gov

-----Original Message-----

From: Clark CIV Steve L [<mailto:steve.l.clark@usmc.mil>]
Sent: Tuesday, April 26, 2011 6:44 AM
To: Thompson, Alison (DEQ)
Subject: RE: Permit Reapplication Process

Alison,

Per our phone conversation from last week, attached is a letter

explaining the change in industrial activity for the drainage area for outfall 019.

Let me know if you have any questions.

Thanks,

Steve Clark, MPA(EM&P)
Combined Administrator #932
Waterworks Operator, #1967
Water Programs Manager
Quantico MCB- NREA
703-432-0528 (office)
540-273-8574 (cell)

"Have you had a positive influence on someone else's life today?"

-----Original Message-----

From: Thompson, Alison (DEQ) [<mailto:Alison.Thompson@deq.virginia.gov>]
Sent: Friday, April 15, 2011 9:21
To: Clark CIV Steve L
Subject: RE: Permit Reapplication Process

Steve,

The outfalls are listed in Tables included as part of Form 2C and Form 2F. The tables summarize what the flow contributions are to each outfall. I don't have the application with me, but they should be easy to find if they provided you the bound application as I received.

The draft is almost complete. I will be sending it to Quantico in advance of sending it to EPA. You will have a couple of weeks to look at it.

Alison Thompson
Water Permits Technical Reviewer
Virginia Dept of Environmental Quality
Northern Regional Office
13901 Crown Ct
Woodbridge, VA 22193
(703) 583-3834
alison.thompson@deq.virginia.gov

-----Original Message-----

From: Clark CIV Steve L [<mailto:steve.l.clark@usmc.mil>]
Sent: Friday, April 15, 2011 7:07 AM
To: Thompson, Alison (DEQ)
Subject: RE: Permit Reapplication Process

Alison,

Reference Quantico MCB VA0002151

Could you please help me better understand my permit reapplication? I am trying to verify we are moving forward for the right outfalls. I am

trying to see if outfall 03 and 019 were requested to be let of for monitoring due to changes in industrial activity at those locations. Bobo Hall (030) is being demo'd and will eventually be replaced with barracks, and the Aero Club is no longer on the airfield (019).

Where in the application does it list the outfalls were are to be permitted for? (we had a contractor put this together and now that I am going back to it, I have uncertainties I need to verify.

Thanks,

Steve Clark, MPA(EM&P)
Combined Administrator #932
Waterworks Operator, #1967
Water Programs Manager
Quantico MCB- NREA
703-432-0528 (office)
540-273-8574 (cell)

"Have you had a positive influence on someone else's life today?"